

GRADES OF GRAY IRON

USA DESIGNATION	USA SPEC.	BRINELL HARDNESS RANGE	DIN 1691 SPEC.	DIN EN 1561 SPECIFICATION	ISO 185 SPEC.
CL 25	ASTM, A 48 ASTM, A 256	170-229	6615	EN-GJL-150	-
CL 30	ASTM, A 48 ASTM, A 159	187-241	GG15	EN-GJL-200	200
CL 35	ASTM, A 48 ASTM, A 159	207-255	GG20	EN-GJL-250	250
CL40	ASTM, A 48 ASTM, A 159	217-269	-	-	-